


# GEOMETRY

## THRON<sup>2</sup>


6.9 / 6.8 / 6.7 / 6.8 EQP / 6.7 EQP



WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	27.5"+/29"	27.5"+/29"	27.5"+/29"	27.5"+/29"
<b>A</b> SEAT TUBE LENGTH (MM)	400	440	470	500
<b>B</b> TOP TUBE LENGTH (MM)	584	603	627	651
<b>C</b> STEERING ANGLE (°)	66,8	66,8	66,8	66,8
<b>D</b> SEAT TUBE ANGLE (°)	74,5	74,5	74,5	74,5
<b>E</b> CHAINSTAY LENGTH (MM)	455	455	455	455
<b>F</b> BOTTOM BRACKET DROP (MM)	25	25	25	25
<b>G</b> HEAD TUBE LENGTH (MM)	115	130	147	163
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	540	540	540	540
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1175	1196	1223	1249
<b>K</b> STACK (MM)	609	623	639	653
<b>L</b> REACH (MM)	415	430	450	470
STEM	60	60	60	60
CRANK	165/170(EQP)	165/170(EQP)	165/170(EQP)	165/170(EQP)

## JAM<sup>2</sup>


9.9 DRIFTER / 6.9 DRIFTER



WHEEL SIZE	S	M	L	XL*
WHEEL DIAMETER	27.5"+/29"	27.5"+/29"	27.5"+/29"	27.5"+/29"
<b>A</b> SEAT TUBE LENGTH (MM)	410	440	470	500
<b>B</b> TOP TUBE LENGTH (MM)	584	604	624	649
<b>C</b> STEERING ANGLE (°)	65,6	65,6	65,6	65,6
<b>D</b> SEAT TUBE ANGLE (°)	73,6	73,6	73,6	73,6
<b>E</b> CHAINSTAY LENGTH (MM)	457	457	457	457
<b>F</b> BOTTOM BRACKET DROP (MM)	18	18	18	18
<b>G</b> HEAD TUBE LENGTH (MM)	120	120	140	160
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	557	557	557	557
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1188	1204	1219	1250
<b>K</b> STACK (MM)	624	624	634	652
<b>L</b> REACH (MM)	405	425	440	455
STEM	50	50	50	50
CRANK	165	165	165	165

## JAM<sup>2</sup>


9.8 NINE / 6.6 NINE




WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	29"	29"	29"	29"
<b>A</b> SEAT TUBE LENGTH (MM)	410	440	470	500
<b>B</b> TOP TUBE LENGTH (MM)	582	602	622	647
<b>C</b> STEERING ANGLE (°)	66,1	66,1	66,1	66,1
<b>D</b> SEAT TUBE ANGLE (°)	74,1	74,1	74,1	74,1
<b>E</b> CHAINSTAY LENGTH (MM)	470	470	470	470
<b>F</b> BOTTOM BRACKET DROP (MM)	16,5	16,5	16,5	16,5
<b>G</b> HEAD TUBE LENGTH (MM)	120	120	140	160
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	561	561	561	561*
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1198	1218	1233	1264
<b>K</b> STACK (MM)	620	620	638	656
<b>L</b> REACH (MM)	405	425	440	455
STEM	55	55	55	55
CRANK	165	165	165	165

## JAM<sup>2</sup>


6.8 PLUS / 6.7 PLUS




WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	27.5"+	27.5"+	27.5"+	27.5"+
<b>A</b> SEAT TUBE LENGTH (MM)	400	420	440	490
<b>B</b> TOP TUBE LENGTH (MM)	573	600	630	660
<b>C</b> STEERING ANGLE (°)	66	66	66	66
<b>D</b> SEAT TUBE ANGLE (°)	75,5	75,5	75,5	75,5
<b>E</b> CHAINSTAY LENGTH (MM)	427	427	427	427
<b>F</b> BOTTOM BRACKET DROP (MM)	10	10	10	10
<b>G</b> HEAD TUBE LENGTH (MM)	110	115	130	150
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	561	561	561	561*
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1163	1190	1221	1254
<b>K</b> STACK (MM)	607	612	625	643
<b>L</b> REACH (MM)	420	445	470	490
STEM	45	45	45	45
CRANK	165	165	165	165

**JAM<sup>2</sup>****6.8 NINE / 6.7 NINE**


WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	29"	29"	29"	29"
<b>A</b> SEAT TUBE LENGTH (MM)	400	420	440	490
<b>B</b> TOP TUBE LENGTH (MM)	565	592	622	652
<b>C</b> STEERING ANGLE (°)	65,5	65,5	65,5	65,5
<b>D</b> SEAT TUBE ANGLE (°)	75	75	75	75
<b>E</b> CHAINSTAY LENGTH (MM)	447	447	447	447
<b>F</b> BOTTOM BRACKET DROP (MM)	19,5	19,5	19,5	19,5
<b>G</b> HEAD TUBE LENGTH (MM)	110	115	130	150
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	561	561	561	561
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1183	1210	1241	1274
<b>K</b> STACK (MM)	607	612	625	643
<b>L</b> REACH (MM)	412	437	462	487
STEM	45	45	45	45
CRANK	165	165	165	165

**JAM<sup>2</sup>****6.6 PLUS**

WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	27.5"+	27.5"+	27.5"+	27.5"+
<b>A</b> SEAT TUBE LENGTH (MM)	410	440	470	500
<b>B</b> TOP TUBE LENGTH (MM)	582	602	622	647
<b>C</b> STEERING ANGLE (°)	66,1	66,1	66,1	66,1
<b>D</b> SEAT TUBE ANGLE (°)	74,1	74,1	74,1	74,1
<b>E</b> CHAINSTAY LENGTH (MM)	457	457	457	457
<b>F</b> BOTTOM BRACKET DROP (MM)	16,5	16,5	16,5	16,5
<b>G</b> HEAD TUBE LENGTH (MM)	120	120	140	160
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	561	561	561	561*
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1185	1205	1218	1251
<b>K</b> STACK (MM)	620	620	638	656
<b>L</b> REACH (MM)	405	425	440	455
STEM	55	55	55	55
CRANK	165	165	165	165

**FOCUS SAM<sup>2</sup>****6.8 / 6.7**


WHEEL SIZE	S	M	L
WHEEL DIAMETER	27.5"	27.5"	27.5"
<b>A</b> SEAT TUBE LENGTH (MM)	420	440	480
<b>B</b> TOP TUBE LENGTH (MM)	585	604	624
<b>C</b> STEERING ANGLE (°)	65	65	65
<b>D</b> SEAT TUBE ANGLE (°)	75	75	75
<b>E</b> CHAINSTAY LENGTH (MM)	455	455	455
<b>F</b> BOTTOM BRACKET DROP (MM)	12	12	12
<b>G</b> HEAD TUBE LENGTH (MM)	118	118	138
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	562	562	562
<b>I</b> PRE-RAKED FORK (MM)	42	42	42
<b>J</b> WHEELBASE LENGTH (MM)	1196	1217	1240
<b>K</b> STACK (MM)	607	607	625
<b>L</b> REACH (MM)	425	440	455
STEM	40	40	40
CRANK	165	165	165

**RAVEN<sup>2</sup>****9.8 / 9.7**

WHEEL SIZE	S	M	L
WHEEL DIAMETER	29"	29"	29"
<b>A</b> SEAT TUBE LENGTH (MM)	420	460	500
<b>B</b> TOP TUBE LENGTH (MM)	592	608	629
<b>C</b> STEERING ANGLE (°)	69,8	69,8	69,8
<b>D</b> SEAT TUBE ANGLE (°)	74,5	74,5	74,5
<b>E</b> CHAINSTAY LENGTH (MM)	454	454	454
<b>F</b> BOTTOM BRACKET DROP (MM)	68	68	68
<b>G</b> HEAD TUBE LENGTH (MM)	104	107	130
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	501	501	501
<b>I</b> PRE-RAKED FORK (MM)	44	44	44
<b>J</b> WHEELBASE LENGTH (MM)	1100	1116	1139
<b>K</b> STACK (MM)	620	623	644
<b>L</b> REACH (MM)	420	435	450
STEM	90	90	90
CRANK	175	175	175


# GEOMETRY

## WHISTLER<sup>2</sup> 6.9/6.9 EQP




WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	29"	29"	29"	29"
<b>A</b> SEAT TUBE LENGTH (MM)	400	440	480	520
<b>B</b> TOP TUBE LENGTH (MM)	563	586	611	637
<b>C</b> STEERING ANGLE (°)	69	69	69	69
<b>D</b> SEAT TUBE ANGLE (°)	74	74	74	74
<b>E</b> CHAINSTAY LENGTH (MM)	455	455	455	455
<b>F</b> BOTTOM BRACKET DROP (MM)	62	62	62	62
<b>G</b> HEAD TUBE LENGTH (MM)	100	110	130	150
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	516	516	516	516
<b>I</b> PRE-RAKED FORK (MM)	46	46	46	46
<b>J</b> WHEELBASE LENGTH (MM)	1097	1120	1147	1175
<b>K</b> STACK (MM)	621	630	649	669
<b>L</b> REACH (MM)	385	405	425	445
STEM	90	90	90	90
CRANK	170	170	175	175

## JARIFA<sup>2</sup> 6.9/6.8/6.7/6.6




WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	29"	29"	29"	29"
<b>A</b> SEAT TUBE LENGTH (MM)	400	440	480	520
<b>B</b> TOP TUBE LENGTH (MM)	589	602	615	628
<b>C</b> STEERING ANGLE (°)	68	68	69	69
<b>D</b> SEAT TUBE ANGLE (°)	73,5	73,5	73,5	73,5
<b>E</b> CHAINSTAY LENGTH (MM)	470	470	470	470
<b>F</b> BOTTOM BRACKET DROP (MM)	62	62	62	62
<b>G</b> HEAD TUBE LENGTH (MM)	120	130	140	160
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	515	515	515	515
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1159	1178	1187	1209
<b>K</b> STACK (MM)	632	641	655	674
<b>L</b> REACH (MM)	410	425	440	455
STEM	70	70	70	70
CRANK	170	170	170	170

## JARIFA<sup>2</sup> 6.9/6.8/6.7/6.6




WHEEL SIZE	XS	S
WHEEL DIAMETER	27.5"	27.5"
<b>A</b> SEAT TUBE LENGTH (MM)	360	400
<b>B</b> TOP TUBE LENGTH (MM)	557	574
<b>C</b> STEERING ANGLE (°)	68	68
<b>D</b> SEAT TUBE ANGLE (°)	73,5	73,5
<b>E</b> CHAINSTAY LENGTH (MM)	460	460
<b>F</b> BOTTOM BRACKET DROP (MM)	48	48
<b>G</b> HEAD TUBE LENGTH (MM)	115	120
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	495	495
<b>I</b> PRE-RAKED FORK (MM)	44/47	44/47
<b>J</b> WHEELBASE LENGTH (MM)	1102	1119
<b>K</b> STACK (MM)	599	604
<b>L</b> REACH (MM)	380	395
STEM	70	70
CRANK	170	170

## PARLANE<sup>2</sup> 9.9/9.8/9.7/9.6 GC/9.5/6.9/ 6.8 GC/6.7/6.6 COMMUTE




WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	700C	700C	700C	700C
<b>A</b> SEAT TUBE LENGTH (MM)	480	516	540	570
<b>B</b> TOP TUBE LENGTH (MM)	525	547	568	591
<b>C</b> STEERING ANGLE (°)	71,5	72	72,5	72,5
<b>D</b> SEAT TUBE ANGLE (°)	74,5	73,5	73,5	73,5
<b>E</b> CHAINSTAY LENGTH (MM)	415	415	415	415
<b>F</b> BOTTOM BRACKET DROP (MM)	75	75	75	75
<b>G</b> HEAD TUBE LENGTH (MM)	150	165	190	215
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	380	380	380	380
<b>I</b> PRE-RAKED FORK (MM)	46	46	46	46
<b>J</b> WHEELBASE LENGTH (MM)	990	996	1014	1036
<b>K</b> STACK (MM)	564	580	605	630
<b>L</b> REACH (MM)	370	375	390	405
STEM	90	100	110	120
HANDLEBAR	400	420	420	440
CRANK	170	170*	175	175

**PLANET<sup>2</sup>**  
5.9/5.7



WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	28"	28"	28"	28"
<b>A</b> SEAT TUBE LENGTH (MM)	430	480	530	580
<b>B</b> TOP TUBE LENGTH (MM)	588	597	606	615
<b>C</b> STEERING ANGLE (°)	72	72	72	72
<b>D</b> SEAT TUBE ANGLE (°)	73	73	73	73
<b>E</b> CHAINSTAY LENGTH (MM)	485	485	485	485
<b>F</b> BOTTOM BRACKET DROP (MM)	65	65	65	65
<b>G</b> HEAD TUBE LENGTH (MM)	160	170	180	190
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	470	470	470	470
<b>I</b> PRE-RAKED FORK (MM)	45	45	45	45
<b>J</b> WHEELBASE LENGTH (MM)	1107	1117	1126	1135
<b>K</b> STACK (MM)	648	658	667	677
<b>L</b> REACH (MM)	390	396	402	408
STEM	80	80	80	80
CRANK	170	170	175	175

**AVENTURA<sup>2</sup>**  
6.9/6.8/6.7/6.6



WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	29"	29"	29"	29"
<b>A</b> SEAT TUBE LENGTH (MM)	420	460	500	540
<b>B</b> TOP TUBE LENGTH (MM)	570	583	603	619
<b>C</b> STEERING ANGLE (°)	70	70	70	70
<b>D</b> SEAT TUBE ANGLE (°)	74	74	74	74
<b>E</b> CHAINSTAY LENGTH (MM)	485	485	485	485
<b>F</b> BOTTOM BRACKET DROP (MM)	62	62	62	62
<b>G</b> HEAD TUBE LENGTH (MM)	100	110	130	150
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	501	501	501	501
<b>I</b> PRE-RAKED FORK (MM)	44	44	44	44
<b>J</b> WHEELBASE LENGTH (MM)	1124	1137	1159	1176
<b>K</b> STACK (MM)	612	622	640	659
<b>L</b> REACH (MM)	395	405	420	430
STEM	70	70	70	70
CRANK	170	170	170	170